| POPULATION ESTIMATES | CENSUS DATA | LOCAL PUBLIC HEALTH |
|--|--|---|
| Total 1995 Population Est 4, 970 | | Per <u>Activities Reported Number 10,000</u> |
| Percent Female 48.9 Population per square mile 10 Rank in state 69 (1=highest population density, | Note: Data in this section are from the 1990 Census. (All other sections contain 1995 data except where specified.) | Public Health Nursing Total clients 105 211 Total visits 175 352 Visits: Reason for |
| 72=l owest population density.) | Ratio of 1989 Family Income to Poverty (Cumulative) | Gen hlth promotion 25 50 Infant/child hlth 43 87 Infectious & parasitic 2 4 |
| Age Female Male Total 0-14 510 550 1,060 15-19 160 180 338 | Age <100% <185% <200% | Circulatory 6 12 Prenatal |
| 20- 24 130 130 260 25- 29 110 110 220 30- 34 190 190 380 | 5-17 18 44 51 924 18-44 11 30 36 1,684 45-64 8 27 31 895 | WIC Participants 242 487 |
| 35-39 200 230 430 40-44 200 200 400 45-54 290 320 610 | 65+ 14 44 50 708 | Clinic Visits |
| 55-64 240 270 510 65-74 200 220 420 75-84 150 110 260 85+ 50 30 80 | CANCER INCIDENCE (1995) | Environmental Contacts Env hazards 5 10 Public health nuisance 14 28 |
| Total 2, 430 2, 540 4, 970 | Primary site Number Colon 0 | School Health Vision screenings 243 489 |
| Age Female Male Total 0-17 610 660 1,270 18-44 890 930 1,820 | Lung | Hearing screenings 94 189 Health Education |
| 45-64 530 590 1, 120 65+ 400 360 760 Total 2, 430 2, 540 4, 970 | All others | Community sessions |
| Note: Average wage is based on place | LONG TERM CARE | |
| of work, not place of residence. Average wage for jobs covered | Home Health Agencies . Patients . Patients per 10,000 pop . | Public health nurses Public health aides Environmental specialists |
| by Unemployment Compensation \$16,319 Labor Force Estimates Annual Average | Nursing Homes 1 Licensed beds 74 | LOCAL PUBLIC HEALTH FUNDING Per |
| Civilian labor force 1,588 Number employed 1,504 Number unemployed 84 Unemployment rate 5.3% | Occupancy rate (percent) 95.0% Residents on 12/31/95 65 Residents per 1,000 population aged 65 or older 84 | Total funding |
| l | 1 | |

| TOTAL LIVE BIRTHS | | 36 | <u>Bi</u> rth Order | Bi rths | Percent | Marital Status | n. 1 | _ |
|---|---|---------------------------|--|-----------------------------------|----------------------------------|---------------------------------|---------------------------|--------------------|
| | | | First | 10 | <u>•</u> | <u>of Mother</u> | <u>Births</u> | Percent |
| Crude Live Birth Rate | | 7. 2 | Second | 21 | 58 | Marri ed | 34 | 94 |
| General Fertility Rat | t e | 36. 4 | Thi rd | 3 | • | Not married | 2 | • |
| | | | Fourth or higher | 2 | • | Unknown | 0 | • |
| Live births with repo | orted | | Unknown | 0 | • | | | |
| congenital anomalies | | 0 . % | | | | Educati on | | |
| S | | | First Prenatal | | | of Mother | Bi rths | Percent |
| Delivery Type | Bi rths | Percent | Visit | Bi rths | Percent | Elementary or less | | |
| /agi nal after | | | 1st trimester | 31 | 86 | Some high school | 4 | • |
| previous cesarean | 2 | _ | 2nd trimester | 5 | | Hi gh school | 16 | |
| Forceps | $\tilde{0}$ | • | 3rd trimester | ŏ | • | Some college | 9 | • |
| Other vagi nal | 25 | 69 | No visits | o | • | College graduate | 7 | • |
| Primary cesarean | 2 | | Unknown | Ö | • | Unknown | ó | • |
| Repeat cesarean | 6 | • | Ulikilowii | U | • | Ulikilowii | U | • |
| Other or unknown | | • | Number of Prenatal | | | Completing Chatus | | |
| other or unknown | 1 | • | | D: l | D | Smoking Status | D: l | D |
| 1 W · | D: .1 | ъ . | <u>Care visits</u> | | Percent | <u>of Mother</u> | <u>Births</u> | Percent |
| Birth Weight | | Percent | No visits | 0 | • | Smoker | 11 | • |
| <1, 500 gm | 0 | • | 1-4 visits | 0 | • | Nonsmoker | 25 | 69 |
| l, 500-2, 499 gm | 3 | • | 5-9 visits | 8 | • | Unknown | 0 | • |
| 2,500+ gm | 33 | 91. 7 | 10-12 visits | 13 | • | | | |
| Jnknown T | 0 | • | 13 + visits | 14 | • | | | |
| | | | | | | | | |
| | | | Unknown | 1 | • | | | |
| | Total B | i rths | Low Birth Weight | _ | | ter of First Prenatal | Visit Other/ | Unknown |
| Race of Mother | Total B Births P | | Low Birth Weight (under 2,500 gm) | 1st Tri | imester | 2nd Trimester | Other/ | Unknown Percent |
| Race of Mother | Births P | ercent | Low Birth Weight (under 2,500 gm) Births Percent | 1st Tri Births | i mester Percent | 2nd Trimester Births Percent | Other/ | |
| White | Births P | rercent 100 | Low Birth Weight (under 2,500 gm) | 1st Tri Births 31 | i mester Percent 86 | 2nd Trimester | Other/ | |
| Nhi te Bl ack | Births P 36 0 | ercent | Low Birth Weight (under 2,500 gm) Births Percent | 1st Tri Births | i mester Percent | 2nd Trimester Births Percent | Other/ | |
| Vhi te Bl ack Other | Births P 36 0 0 | rercent 100 | Low Birth Weight (under 2,500 gm) Births Percent | 1st Tri Births 31 | imester Percent 86 | 2nd Trimester Births Percent | Other/ | |
| Mhi te Bl ack Other | Births P 36 0 | rercent 100 | Low Birth Weight (under 2,500 gm) Births Percent | 1st Tri Births 31 | i mester Percent 86 | 2nd Trimester Births Percent | Other/ | |
| Race of Mother White Black Other Unknown | Births P 36 0 0 0 Fe Births | ercent 100 ertility Rate | Low Birth Weight (under 2,500 gm) Births Percent | 1st Tri Births 31 | i mester Percent 86 . | 2nd Trimester Births Percent | Other/Births Visit Other/ | Percent |
| Mhite Black Other Unknown Age of Mother <15 | Births P 36 0 0 0 Fe Births | ercent 100 ertility | Low Birth Weight (under 2,500 gm) Births Percent 3 | 1st Tri Births 31 Births | i mester Percent 86 Tri mest | 2nd Trimester Births Percent 5 | Other/Births Visit Other/ | Percent |
| Mhite Black Other Unknown Age of Mother <15 15-17 | Births P 36 0 0 0 Fe Births 0 1 | ercent 100 ertility Rate | Low Birth Weight (under 2,500 gm) Births Percent 3 | 1st Tri Births 31 | i mester Percent 86 Tri mest | 2nd Trimester Births Percent 5 | Other/Births Visit Other/ | Percent |
| White Black Other Jnknown Age of Mother <15 15-17 18-19 | Births P 36 0 0 0 Fe Births 0 1 | ercent 100 ertility Rate | Low Birth Weight (under 2,500 gm) Births Percent 3 | 1st Tri Births 31 Births | i mester Percent 86 Tri mest | 2nd Trimester Births Percent 5 | Other/Births Visit Other/ | Percent |
| White Black Other Unknown age of Mother <15 15-17 18-19 20-24 | Births P 36 0 0 0 Fe Births 1 2 13 | ercent 100 ertility Rate | Low Birth Weight (under 2,500 gm) Births Percent 3 | 1st Tri Births 31 | i mester Percent 86 Tri mest | 2nd Trimester Births Percent 5 | Other/Births Visit Other/ | Percent |
| White Black Other Jinknown Age of Mother <15 15-17 18-19 20-24 25-29 | Births P 36 0 0 0 Fe Births 0 1 2 13 15 | ercent 100 ertility Rate | Low Birth Weight (under 2,500 gm) Births Percent 3 | 1st Tri Births 31 | i mester Percent 86 Tri mest | 2nd Trimester Births Percent 5 | Other/Births Visit Other/ | Percent |
| White Black Other Jnknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 | Births P 36 0 0 0 Fe Births 1 2 13 15 2 | ercent 100 ertility Rate | Low Birth Weight (under 2,500 gm) Births Percent 3 | 1st Tri Births 31 | i mester Percent 86 Tri mest | 2nd Trimester Births Percent 5 | Other/Births Visit Other/ | Percent |
| Mhite Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 | Births P 36 0 0 0 Fe Births 1 2 13 15 2 3 | ercent 100 ertility Rate | Low Birth Weight (under 2,500 gm) Births Percent 3 | 1st Tri Births 31 | i mester Percent 86 Tri mest | 2nd Trimester Births Percent 5 | Other/Births Visit Other/ | Percent |
| Mhite Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 | Births P 36 0 0 0 Fe Births 1 2 13 15 2 | ercent 100 ertility Rate | Low Birth Weight (under 2,500 gm) Births Percent 3 | 1st Tri Births 31 | i mester Percent 86 Tri mest | 2nd Trimester Births Percent 5 | Other/Births Visit Other/ | Percent |
| Mhite Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 | Births P 36 0 0 0 Fe Births 1 2 13 15 2 3 | ercent 100 ertility Rate | Low Birth Weight (under 2,500 gm) Births Percent 3 | 1st Tri Births 31 | i mester Percent 86 Tri mest | 2nd Trimester Births Percent 5 | Other/Births Visit Other/ | Percent |
| Mhite Black Other Jnknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+ | Births P 36 0 0 0 Fe Births 1 2 13 15 2 3 0 | ercent 100 ertility Rate | Low Birth Weight (under 2,500 gm) Births Percent 3 | 1st Tri Births 31 | i mester Percent 86 Tri mest | 2nd Trimester Births Percent 5 | Other/Births Visit Other/ | Percent |

| REPORTED CASES OF SELECTED | DI SEASES | neonatal, an | d post-neo l fetal dea | natal deat | per 100,000 population. In th rates are per 1,000 live are per 1,000 live births | births. | |
|---|-----------|------------------|---------------------------|-------------|--|-------------|--------|
| Di sease | Number | TOTAL DEATHS | | 66 | Sel ected | | |
| Campylobacter Enteritis | • | Crude Death Ra | ate | 1, 328 | Underlying Cause Heart Disease (total) | Deaths | Rate |
| Gi ardi asi s | • | | | | Heart Disease (total) | 18 | • |
| Hepatitis Type A Hepatitis Type B* Hepatitis NANB/C** | • | | D . 1 | 5 . | Coronary heart disease | 12 | • |
| Hepatitis Type B* | • | Age | Deaths | <u>Rate</u> | Cancer (total) | 19 | • |
| Hepatitis NANB/C** | • | 1-4 | • | • | Lung | 3 | • |
| Legi onnai re' s | • | 5- 14 15- 19 | • | • | Colorectal | 1 1 | • * |
| Lyme Measles | • | 20-34 | • | • | Female breast | | • * |
| | • | 20-34 35-54 | 4 | • | Cerebrovascular Disease Chron Obstr Pulmonary | 7 4 | • |
| Meningitis, Aseptic Meningitis, Bacterial | • | 55- 64 | 10 | • | Pneumonia & Influenza | 3 | • |
| Mumps | • | 65-74 | 16 | • | Injuries | 3 | • |
| Pertussi s | • | 75-84 | 17 | • | Motor vehicle | • | • |
| Sal monel losi s | • | 85+ | 18 | • | Di abetes | i | • |
| Shi gellosi s | • | 85+ | 10 | • | Infectious & Parasitic | 2 | • |
| Tubercul osi s | • | | | | Sui ci de | ~ | • |
| Tuber cur osi s | • | Infant | | | Juicide | • | • |
| * Includes HBV carriers | | Mortality | Deaths | Rate | * Rate for female breast | t cancer | hased |
| ** Includes HCV screens | | Total Infant | 1 | Nacc | on female population | | basca |
| Thereaes not sereens | | Neonatal | ī | • | on remare population | 711. | |
| <u>Sexually Transmitted Diseas</u> | e | Post-neonatal | - | • | ALCOHOL AND DRUG ABUSE A | S UNDERLY | YI NG |
| | _ | Unknown | | | OR CONTRIBUTING CAUSE | | |
| Chlamydia Trachomatis | 0 | | | | | | |
| Genital Herpes | 0 | Race of Mother | | | Al cohol | 3 | |
| Gonorrhea | 0 | White | 1 | | Other Drugs Both Mentioned | 1 | |
| Nongonococcal Cervicitis | 0 | Black | • | • | Both Mentioned | • | |
| Nongonococcal Urethritis | 0 | 0ther | • | • | | | |
| Syphilis | 0 | Unknown | • | • | MOTOR VEHICLE (| CRASHES - | |
| | | Birth Weight | | | Note: These data are ba | ased on l | ocatio |
| | | <1.500 gm | • | | of crash, not on i | resi dence |). |
| | | 1. 500-2. 499 gm | 1 | • |] | | |
| I M M U N I Z A T I O N | S | 2, 500+ gm | • | • | Type of Motor | Persons 1 | Person |
| | | Unknown | • | • | Vehicle Crash | I nj ured | Killed |
| | | | | | Total Crashes | 64 | 2 |
| Children in Grades K-12 by | | i) | | | Al cohol - Rel ated | 14 | 2 |
| Compliance Level | | ∫ Peri natal | | | With Citation: | | |
| • | | <u>Mortality</u> | Deaths | Rate | For OW | 5 | 0 |
| Compliant | 788 | Total Perinatal | | • | For Speeding | 2 5 | 0 |
| Non-compliant | 3 | Neonatal | 1 | | Motorcyclist | 5 | 0 |
| Percent Compliant | 99. 6 | Fetal | • | • | Bicyclist | 1 | 0 |
| | | | | | Pedestri an | 0 | (|

| DI SEASE / AGE GROUP | Number | Per 1, 000 Pop | Average Stay (Days) | Average Charge | Charge Per Capi ta | DI SEASE / AGE GROUP | Number | 1,000 | Average Stay (Days) | Average Charge | Charge Per Capita |
|-------------------------|---------------------|----------------------|---------------------------|-------------------|--------------------------|--|----------------|----------------------|---------------------------|-------------------------|-------------------------|
| Injury-Related | · Δ11 | | | | | Al cohol - Rel ated | | | | | |
| Total | 15 | | | | | Total | 9 | | | | |
| <18 | 0 | • | • | • | • | 18- 44 | 7 | • | • | • | • |
| 18- 44 | 3 | • | • | • | • | 45- 64 | $\dot{2}$ | • | • | • | • |
| 45- 64 | 7 | • | • | • | • | 10 01 | ~ | • | • | • | • |
| 65+ | 5 | • | • | • | • | Pneumonia and I | nfluenza | | | | |
| Injury: Hip | | • | • | • | • | Total | 1 | | | | |
| Total | 0 | | _ | | _ | < 18 | 0 | • | • | | · |
| 65+ | ŏ | • | | | • | 45- 64 | ĭ | • | | • | • |
| Injury: Pois | | • | • | · | • | 65+ | Ō | | | | |
| Total | 0 | | | | | 1 | ŭ | • | • | • | • |
| 18- 44 | ŏ | • | | | • | Cerebrovascul ar | Di sease | | | | |
| - - | J | • | • | - | • | Total | 12 | | _ | | |
| Psychi atri c | | | | | | 45-64 | 4 | | | | |
| Total | 25 | 5. 0 | 9. 8 | \$5, 363 | \$27 | 65+ | 8 | | | | |
| <18 | 3 | | | | | | _ | - | - | • | - |
| 18-44 | 17 | | | | | Chronic Obstruc | tive Pulr | nonary D | i sease | | |
| 45-64 | 3 | • | • | • | | Total | 3 | ionar y D | | _ | _ |
| 65+ | $\ddot{2}$ | | | | | <18 | Ö | | | | |
| 001 | ~ | • | • | • | • | 18- 44 | ŏ | • | | | • |
| Coronary Heart | Di sease | | | | | 45-64 | 1 | • | • | • | • |
| Total | 21 | 4. 2 | 5.8 | \$18, 522 | \$78 | 65+ | $\overline{2}$ | | · | | |
| 45-64 | 10 | | | , , , , , | | | ~ | • | • | • | • |
| 65+ | 9 | | | | | Drug-Rel ated | | | | | |
| | ŭ | • | • | • | • | Total | 1 | _ | _ | _ | _ |
| Malignant Neop | olasms (Car | ncers): | A1 1 | | | 18-44 | 0 | | | • | |
| Total | 10 | | | _ | | | Ū | • | • | • | • |
| 18-44 | 1 | | | | | Total Hospitali | zations | | | | |
| 45-64 | $\bar{3}$ | | | | • | Total | 198 | 39. 9 | 6.8 | 310, 926 | \$436 |
| 65+ | 6 | • | • | • | | <18 | 17 | | | | |
| Neoplasms: F | Female Brea | ast (ra | ites for | female po | nulation) | 18-44 | 46 | 25. 3 | 5. 8 | \$4, 921 | \$125 |
| Total | 1 | | | · · | , | 45-64 | 57 | 51. 0 | | 312, 598 | \$643 |
| Neoplasms: (| Col o- rectal | I | • | · | • | 65+ | 78 | 102. 4 | | | \$1, 440 |
| Total | 2 | _ | _ | _ | | 1 | | | | ,, | , _ , |
| 65+ | $\tilde{\tilde{2}}$ | | | | | PREVENTA | B L E H | 0 S P I | TAI.I | ZATI | 0 N S |
| Neoplasms: I | | • | • | · | • | Total | 15 | | 4.8 | \$5, 441 | \$16 |
| Total | 2 | | | | | <18 | 3 | 2.4 | 3. 0 | \$2, 868 | \$7 |
| 20041 | ~ | • | • | • | • | 18- 44 | ĭ | 0.6 | 4. 0 | \$3, 315 | \$2 |
| Diabetes | | | | | | 45-64 | 3 | 2. 7 | 5. 7 | \$5, 231 | \$14 |
| Total | 5 | | _ | _ | | 65+ | 8 | 10. 5 | 5. 3 | \$6, 751 | \$71 |
| 65+ | 4 | • | • | • | • | 1 | J | 10.0 | 0.0 | Ţ U , .UI | Ÿ , I |
| 55 . | - | • | • | · | · | * Hospitalizatio effective ambul hospitalization | atory car | ondition re can r | s where educe th | timely ar ne likelih | nd nood of |